

- 5) **Right to Replat or Resubdivide.** Declarant reserves the right to replat or re-subdivide any or all of the Subdivision, subject to compliance with any State, City, and County subdivision standards and subsequent to the filing of the Restrictive Covenants.
- 6) **Identified Structures not Permitted.** No trailer of any kind or type; prefabricated, modular or manufactured building; mobile home; portable building; tent; shack; or other structure of a temporary nature will ever be moved onto a Lot or the Common Area, whether temporary or permanent. However, during construction, Declarant or a Builder Member (as that term is defined in the Declaration) may erect and maintain such structures as are customary in connection with the construction and sale of the Lot, including, but not limited to storage facilities, portable sanitary facilities, signs, and construction trailers.
- 7) **Permitted Structures.** One (1) single-family residential dwelling or Living Unit will be permitted and constructed on a Lot. All Living Units will be constructed of new materials, on the Lot from the ground up, and approved by the ARC, in writing, in advance of construction. Any deviation in the design or material composition shown on such ARC approved plans and specifications must be approved by the ARC, in writing, in advance of construction.

The Living Unit cannot exceed 2 stories in height. The Living Unit may be a 1-story, 2-story or split-level residence with a private garage, attached or detached, for not less than 2 or more than 3 vehicles and no more than one attached or detached structure for storage constructed in accordance with the provision for Accessory Buildings below and may not be occupied as a residence).

- 8) **Accessory Buildings.** Every accessory building or structure, inclusive of such structures as a detached garage or storage building ("Accessory Building"), will be aesthetically compatible with the Living Unit to which it is appurtenant in terms of its design and material composition. All Accessory Buildings will be subject to the prior approval of the ARC. In no instance will an Accessory Building exceed 1 story in height nor will the total floor area of an Accessory Building exceed 10%, individually or in the aggregate, of the floor area of the Living Unit.
- 9) **Height Restriction.** No Living Unit will be erected, constructed, or altered that exceeds 2 standard stories in height, provided, however, that all applicable ordinances, regulations, and statutes with respect to the maximum height of buildings and structures will be complied with at all times.
- 10) **Living Area.** Residences or dwelling units within Subdivision must contain conditioned "living floor area" square feet of not less than the amount stipulated in the "Minimum Areas" article of these Restrictive Covenants, except as may be authorized by the ARC.
- a) **The conditioned living floor area restriction** applies to the lots, or any subdivision thereof and excludes basements, garages (attached or detached), breezeways, porches and balconies (enclosed or not).
 - b) **Detached garages or other out buildings** are permitted provided the main building conforms to the area square footage as herein required and our building exterior finishes are the same (and same proportion) as the main residential building.

c) **Conversion of garages to dwelling space (living area) by enclosure, is permitted only when alternative garage space is added (attached or detached), and with prior ARC approval.**

11) **Exterior Wall Masonry.** Dwellings must have first floor exterior masonry veneer coverage to the area square footage as herein amount stipulated in the "Minimum Areas" article of these Restrictive Covenants, except as may be authorized by the ARC. Windows and doors in exterior masonry walls may be counted as masonry veneer when computing masonry coverage. Masonry includes brick, brick veneer, stone, stone veneer, and rock. In no instance will more than 18" of the slab of the Living Unit be exposed above finished grade as viewed from any street, right-of-way, or other Common Area.

12) **Minimum Areas.** Residences, or dwelling units, within Subdivision must contain minimum areas as defined by the articles on "Living Areas" and "Exterior Wall Masonry", as set forth for each lot in the following table:

Block	Lot(s)	Minimum Living Area	Minimum Masonry Coverage
1	1-27	1,650	75%
2	1-3	1,650	75%
3	1-6	1,650	75%
4	1-7, 28-35	1,300	50%
5	1-14	1,300	50%
6	1-15	1,300	50%
7	1-10	1,300	50%

13) **Roofing Materials and Design.** The roofing material will be 3-Tab Composition Shingles, minimum 20 year rating. Minimum roof pitch design is 6/12 or greater. Wood shake or wood shingle roofing is not permitted. Dwelling and outbuilding roofing must be in accordance with the following schedule. Alternate roofing materials must be approved in advance by the ARC.

14) **Fences.** All rear yards must be privacy fenced. Initial fence construction must be complete, prior to Owner occupancy, in accordance with the table below. New or replacement fences may not be constructed without prior approval of the ARC.

- a.) **Fence Construction** may not exceed 6'-0" in height.
- b.) **All Fences** must be assembled with the smooth side facing the street with all fence framing and crossboards facing the inside or rear yard of the Lot.
- c.) **Divider Fences** are fences located parallel to and on or n
- d.) **ear a property line common with two or more lots.**
- e.) **Fence Easement.** Any drainage easement shown on the Subdivision Plat or created by separate instrument duly recorded in the Official Public Records of Teal Property of Bell County, Texas, will also be designated as a Fence Easement, to the extent necessary to permit fences to connect with other fences. In addition the Association may use the Fence Easement to repair or replace any owner-neglected fence as the Association, in its sole discretion and in accordance with the Declaration, deems appropriate.

- f.) **Front Fences** (between 2 houses, facing the street) are to be "in-line" between houses unless prevented by house plan or other limitations.
- g.) **Fences must be adequately maintained**, functional and in good appearance. Damaged or deteriorated fences must be promptly repaired or replaced. The expense for repair or replacement of divider fences is to be shared equally by the respective property owners, to the extent they share fencing on a common property line. Property Owners, unable to agree on fence repair or replacement, may construct a separate new fence, adjacent to the damaged or deteriorated fence.
- h.) **Any Dog Run** must be constructed so that it is not visible from the street or Common Area.

Fence	Required Location
Front (facing front yard)	50' from Rear Property Line
Side (facing side street)	10' from Side Street Property Line
Side & Rear Divider Fences (dividing lots or adjacent property)	Property Line

- 15) **Parking Pads and Sidewalks.** Construction materials for parking pads and sidewalks will be of concrete, exposed aggregate concrete, asphalt, or brick. The Owner will be responsible for all maintenance of any parking pads or sidewalks constructed upon its respective Lot.
- 16) **Landscaping.** Planting of trees, grass and landscaping must be completed immediately after final grading. Yard grass coverage must be a minimum of 75% of the Lot, inclusive of buildings, driveway, sidewalks, patios and swimming pool. Yards and landscaping must be mowed, edged and trimmed regularly and must be kept free of weeds, leaves and overgrowth at all times.

To insure a general uniformity of appearance of the subdivision front yards, a minimum of one (and two on corner lots) 1.5" or greater caliper trees will be installed prior to the closing date in the front of each Lot. Generally located at a midpoint between the property line and drive way. Such tree(s) will be of an evergreen species. Acceptable species are Live Oak, Red Oak, Bur Oak, and Elm. Alternative species must be approved in advance by the ARC.

- 17) **Landscaping Maintenance.** Until a Living Unit is built on a Lot, the Owner of the Lot is responsible for all lawn maintenance and upkeep. The Owner is required to mow the Lot at regular intervals and to maintain its Lot in a neat and well-groomed condition, consistent with the intent of the Restrictive Covenants and quality of the Subdivision. No building materials may be stored on a Lot, and any excess building materials not needed for construction and any building refuse will be promptly removed from each Lot.

If Owner fails to maintain its respective Lot, Declarant or the Association may, at its option and in its sole discretion, have the grass, weeds, and vegetation cut when and as often as the same is necessary, and have dead trees, shrubs, and plants removed from the Lot. Declarant or the Association may also, at its option and in its sole discretion, remove any excess building materials or building refuse situated on a Lot in violation of the Restrictive Covenants. The offending Owner or Builder Member of any Lot will be obligated to reimburse Declarant or the Association for the cost of such maintenance or removal upon demand.

All landscaping will be done with the approval and at the sole discretion of the ARC.

- 18) **Obstructive Landscaping at Intersections.** No fence, wall, hedge or shrub planting which obstructs sight lines at elevations between 2' and 6' above the roadway will be placed or permitted to remain on any corner Lot within the triangular area formed by the street lines and a line connecting them at points 25' feet from the intersection of the street lines, or in the case of a rounded property corner from the intersection of the street lines extended. The same sight line limitation will apply on any Lot within 10' from the intersection of a street with the edge of a driveway or alley pavement. No trees will be permitted to remain within such distances of such intersections unless the foliage line is maintained at sufficient height to prevent obstruction of such sight line.
- 19) **Building Set-back Minimum.** No Living Unit, Accessory Building or other approved improvements may be located on any Lot nearer to the front, side or rear property lines than the minimum building setback lines shown on the recorded plat. The ARC may establish additional setback lines as necessary.
- 20) **Future Remodeling or Additions.** All covenants and conditions of the Restrictive Covenants and the Declaration will apply to future remodeling of and additions to a Living Unit, Accessory Building, and other approved improvements, and to rebuilding in case of total or partial destruction of any existing structure.
- 21) **Nuisances.** No noxious or offensive activity will be carried on upon any Lot nor will anything be done thereon which may be or may become an annoyance or nuisance to other Owners. An Owner may do no act or any work that will impair the structural soundness or integrity of another building or impair any easement, nor do any act nor allow any condition to exist which will adversely affect the other living units, improvements or property of the other Owners.
- There will be no hunting or discharge of firearms of any kind allowed in the Subdivision.
- No exterior speakers, horns, whistles, bells, or other sound devices (except security devices such as entry door and patio intercoms used exclusively to protect the Lot and improvements situated on the Lot) will be placed or used upon any Lot.
- 22) **Responsibility to the Environment.** Each Lot Owner hereby acknowledges the responsibility to remain environmentally sensitive in land use and development due to property location within the Clear Water Underwater Conservation District and/or any other watershed.
- 23) **Restricted Vehicle.** No vehicle with tonnage in excess of 1 ton (except for those vehicles used by a Builder Member during construction of the improvements), camper, camper shell, trailer, mobile home, motor home, boat, marine craft, hovercraft, aircraft, recreational vehicle, travel trailer, or wrecked, junked, or inoperable vehicles will be kept, parked, stored, or maintained on any portion of a Lot or the Common Area. The ARC will have the absolute authority to determine from time to time whether a vehicle or accessory is being stored or maintained on any Lot or the Common Area. Upon an adverse determination by the ARC, the vehicle or accessory will be removed and the Lot will be brought into compliance with the Restrictive Covenants.

- 24) **Parking.** All overnight parking (including extended periods during the day) of resident vehicles must be in driveways or garages. Regular resident parking of commercial vehicles (vehicles with signs advertising a product or service) is permitted only in garages. Motor vehicles must be concealed from view of a public street or another Lot, and may not be parked in yards when visible to a street or another Lot.
- No Lot, street or alley in the Subdivision will be used for parking or storage, temporary or otherwise, any junked vehicle, abandoned or inoperable vehicle, trailer or boat, or any part thereof. Vehicular repair and maintenance (other than washing) is permitted only when performed inside garages.
- 25) **Hazardous Cargo.** No vehicle, of any size, which normally or occasionally transports hazardous cargo, including flammable, explosive or poisonous cargo is allowed in, on or about any part of said subdivision at any time, except in the course of normal home service or repair. Pest control vehicles are permitted within the Subdivision for treatment visits only and may not remain overnight or for extended periods of time during the day, except when parked in enclosed garages.
- 26) **Outdoor Privies.** No outdoor privies may be placed or permitted to be placed in the Subdivision except temporary construction facilities.
- 27) **Air Conditioning Equipment.** No window, roof or wall type air-conditioner that is visible from any public street will be used, placed or maintained on or in any Living Unit. No air-conditioning apparatus will be installed on the ground in front of a Living Unit.
- 28) **Exterior Lighting.** All exterior lighting and lighting fixtures, of any type or nature, must be approved by the ARC prior to construction and installation. The Board may restrict the size and placement of any lighting fixture.
- 29) **Signs.** No sign or poster of any kind greater than two (2') square feet will be allowed on any Lot of said subdivision. One (1) sign of no more than four (4') square feet in area advertising the property for sale or rent, or signs used by a builder to advertise construction on the Lot will be allowed. Larger, temporary, builder signs may be authorized by the ARC.
- 30) **Oil or Mining Operations.** No oil drilling, oil development operations, oil refining, quarrying or mining operations of any kind will be permitted, upon or in any Lot or Common Area, nor will oil wells, tanks, tunnels, mineral excavations, or shafts be permitted upon any Lot. No derrick or other structure designated for use in boring for oil or natural gas will be erected, maintained or permitted on any Lot or Common Area. No tank for the storage of oil or other fluids may be maintained on any of the Lots or Common Area above the surface of the ground.
- 31) **Garbage/Rubbish.** No Lot or the Common Area will be used or maintained as a dumping ground for rubbish. Garbage, trash or rubbish, and other waste materials must be kept only in sanitary containers as specified by city ordinance. Such sanitary containers may be placed in the street for pick up no earlier than 12 hours from the time of collection and must be returned to its place of storage within 12 hours of collection. No trash, ashes, or other refuse may be thrown or dumped on any vacant Lot, Common Area, park, street, right-of-way, or drainage area in the Subdivision. No cans, bags, containers or receptacles for the storing or

disposal of trash, garbage, refuse, rubble, or debris will be stored, kept, placed or maintained on any Lot where visible from any street.

- 32) **Unightly conditions.** Lot Owners agree to keep all unsightly conditions obstructed from the view of any public street or another Lot or the Common Area.
- 33) **Utility and Drainage Easements.** Easements for installation and maintenance of utilities and drainage facilities are reserved as shown on the recorded plat. Within these easements, no structure, planting, or other material may be placed or permitted to remain which may damage or interfere with the installation and maintenance of utilities, or which may change the direction of flow of surface drainage in the easements, or which may obstruct or retard the flow of water drainage in the easements. The easement area of each Lot and all improvements in such easement area will be maintained continuously by the Owner of the Lot, except for those improvements for which a public authority or utility company is responsible. The Owner of the Lot upon which a utility easement is located may use it for lawn purposes. Fencing in this easement area will be permitted, provided it does not alter or obstruct surface drainage.
- In addition to what is shown on the plat there is hereby created 5' wide easements for drainage purposes on, over and across the platted rear and side lot lines of each and every Lot (or modification by replatting or deed) in this Subdivision.
- 34) **Water Supply Systems.** No individual water supply systems will be permitted on any Lot.
- 35) **Waste Water Treatment Systems.** No individual sewage disposal system will be permitted on any Lot unless such system is designed, located and constructed in accordance with the requirements, standards and recommendations of the City of Temple, Texas, and the Bell County Health Department. Approval of such systems as installed will be obtained from such authority prior to any site work.
- 36) **Restrictive Covenants Term.** The Restrictive Covenants set forth above, and each of them, will be covenants running with the title of the above-described tract and every part thereof, and every re-subdivision thereof, until 20 years from the date of this conveyance, and after which time the Restrictive Covenants will be automatically extended for successive periods of 10 years thereafter unless an instrument signed by a majority of the then land owners of the Subdivision may change the Restrictive Covenants in whole or in part.
- 37) **Restrictive Covenants Invalidated.** Invalidations of any one or more of the Restrictive Covenants by judgment or court order, will in no way affect any of the other provisions hereof, which will remain and continue in full force and effect.
- 38) **Enforcement of Restrictive Covenants.** Enforcement of the Restrictive Covenants will be by proceedings at law or in equity, against any person or persons violating or attempting to violate any one or more of the Restrictive Covenants, either to restrain violation or to recover damages. Should it become necessary for the Declarant or an Owner of a Lot to retain the services of any attorney for the specific enforcement of the Restrictive Covenants contained herein, the person in violation of any of the restrictions contained herein agrees to pay for reasonable attorney's fees and all other reasonable expenses in connection therewith.
- 39) **Zoning Ordinances.** The Restrictive Covenants are, in all respects, subject to any applicable zoning regulations lawfully in force hereafter adopted.

- 40) **Altering Restrictions.** As long as Declarant owns a Lot within the Subdivision for development, Declarant, at Declarant's discretion, may alter the Restrictive Covenants, without the joinder of any other Lot Owner. Thereafter, the Restrictive Covenants may be altered or abandoned at any future date by a 75% affirmative vote of the Lot Owners within the Subdivision, with 1 vote being allotted to each plot, or 1 vote per acre, whichever produces the larger number of votes.
- 41) **Variances.** The ARC, in its sole discretion, has the authority to grant variances of any setback line, to alter any setback line, to waive any encroachment across or into any setback line, Common Area, or easement, or alter any Restrictive Covenant so long as the alteration does not diminish the value or overall integrity of the Subdivision, to the extent that the ARC has the authority to waive such encroachment into an easement, as the ARC deems necessary. Such variance or waiver will be by written instrument in recordable form.

(The remainder of this page has been intentionally left blank.)

EXECUTED JANUARY 12, 2005.


KIELLA FAMILY, LTD., a Texas limited partnership


**By: KIELLA MANAGEMENT, L. C.,
a Texas limited liability company, general partner**

By: 
JOHN R. KIELLA, President

**THE STATE OF TEXAS §
 §
COUNTY OF BELL §**

This instrument was acknowledged before me on JANUARY 12th, 2005, by JOHN R. KIELLA, in his capacity as President of KIELLA MANAGEMENT, L.C., a Texas limited liability company, in its capacity as general partner of KIELLA FAMILY, LTD., a Texas limited partnership, on behalf of said limited liability company and limited partnership.


Notary Public



BEING a tract of land in Bell County, Texas lying and situated in the BALDWIN ROBERTSON LEAGUE SURVEY, ABSTRACT No. 17 and the land herein described being a part or portion of that certain 110.506 acre tract conveyed to Kiella Family, Ltd. by Warranty Deed with Vendor's Lien recorded in Volume 4785, Page 553 Deed Records of Bell County, Texas and being more particularly described by metes and bounds as follows:

Beginning at a 5/8" iron rod found in the east line of said 110.506 acre Kiella Family, Ltd. tract, being the southwest corner of that certain 9.04 acre tract conveyed to James Nathan Ross by Warranty Deed recorded in Volume 2080, Page 531 Deed Records of Bell County, Texas and being the northwest corner of that certain 10.00 acre tract conveyed to James Nathan Ross by Deed recorded in Volume 1420, Page 864 Deed Records of Bell County, Texas; said 5/8" iron rod found bearing N. 86° 26' 05" E. (bearing base) 4553.93 feet from City of Temple Monument No. 504, for corner;

THENCE along the east line of said Kiella Family, Ltd. tract the following three (3) calls:

1. S. 16° 50' 45" W., 255.23 feet along the west line of said 10.00 acre James Nathan Ross tract to a 1/2" iron rod found being the southwest corner of said 10.00 acre James Nathan Ross tract and being the northwest corner of that certain tract conveyed to Bobby Dale Rush and Cindy Faye Rush by Warranty Deed with Vendor's Lien recorded in Volume 2115, Page 615 Deed Records of Bell County, Texas, for corner;
2. S. 16° 41' 53" W., 458.67 feet along the west line of said Bobby Dale Rush and Cindy Faye Rush tract to a 1/2" iron rod found being the southwest corner of said Bobby Dale Rush and Cindy Faye Rush tract and being the northwest corner of that certain tract conveyed to Phillip R. Diskin and Dorcas A. Diskin by Deed recorded in Volume 1564, Page 374 Deed Records of Bell County, Texas, for corner;
3. S. 16° 43' 52" W., 20.61 feet along the west line of said Phillip R. Diskin and Dorcas A. Diskin tract to a 1/2" iron rod with cap marked "RPLS 2475" set in concrete, for corner;

THENCE departing the east line of said Kiella Family, Ltd. tract and the west line of said Phillip R. Diskin and Dorcas A. Diskin tract, over and across said Kiella Family, Ltd. tract the following twenty (20) calls:

1. N. 73° 15' 00" W., 155.87 feet to a 1/2" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
2. N. 16° 45' 00" E., 28.48 feet to a 1/2" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
3. N. 73° 15' 00" W., 215.60 feet to a 1/2" iron rod with cap marked "RPLS 2475" set in concrete, for corner;

Exhibit "A"

Page 1 of 5



TURLEY ASSOCIATES, INC.

ENGINEERING • PLANNING • SURVEYING • DESIGN/BUILDING
301 NORTH 3RD STREET • TEMPLE, TEXAS 76501 • (254) 773-2400

Legal Description

4. N. 55° 56' 38" W., 69.00 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
5. N. 65° 12' 00" W., 105.14 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
6. S. 14° 20' 00" W., 12.37 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
7. N. 71° 00' 45" W., 107.24 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete at the beginning of a curve to the left, for corner;
8. along said curve to the left, arc length equals 9.56 feet, radius equals 925.00 feet and long chord bearing equals S. 18° 41' 29" W., 9.56 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
9. N. 71° 36' 17" W., 50.00 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete at the beginning of a curve to the left, for corner;
10. along said curve to the left, arc length equals 87.56 feet, radius equals 975.00 feet and long chord bearing equals S. 15° 49' 21" W., 87.53 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
11. S. 13° 15' 00" W., 12.41 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
12. N. 70° 30' 00" W., 350.26 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
13. N. 63° 30' 00" W., 107.55 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
14. N. 35° 48' 54" E., 55.29 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete at the beginning of a curve to the left, for corner;
15. along said curve to the left, arc length equals 35.59 feet, radius equals 425.00 feet and long chord bearing equals N. 33° 24' 57" E., 35.58 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
16. N. 58° 59' 00" W., 50.00 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete at the beginning of a curve to the right, for corner;
17. along said curve to the right, arc length equals 31.40 feet, radius equals 375.00 feet and long chord bearing equals S. 33° 24' 57" W., 31.40 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;

Exhibit "A"

Page 2 of 5



TURLEY ASSOCIATES, INC.

ENGINEERING • PLANNING • SURVEYING • DESIGN/BUILDING
 301 NORTH 3RD STREET • TEMPLE, TEXAS 76701 • (254) 773-2400

18. S. 35° 48' 54" W., 68.57 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
19. N. 69° 28' 00" W., 107.15 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
20. N. 79° 48' 00" W., 103.38 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete in the common line of said Kiella Family, Ltd. tract (west line) and the remainder of those certain tracts (FIRST TRACT and SECOND TRACT) conveyed to Edgar L. Von Rosenberg and Ray T. Von Rosenberg by Deed recorded in Volume 1208, Page 802 Deed Records of Bell County, Texas (east line), for corner;

THENCE along said common line the following four (4) calls:

1. N. 07° 00' 00" W., 123.56 feet to a ½" iron rod with cap marked "RPLS 2475" found, for corner;
2. N. 16° 00' 00" E., 215.00 feet to a ½" iron rod with cap marked "RPLS 2475" found, for corner;
3. N. 55° 15' 00" E., 412.40 feet to a ½" iron rod with cap marked "RPLS 2475" found, for corner;
4. N. 17° 50' 17" E., 123.16 feet to a ½" iron rod with cap marked "RPLS 2475" found at the beginning of a curve to the right, for corner;

THENCE departing said common line, over and across said Kiella Family, Ltd. tract the following twenty-one (21) calls:

1. along said curve to the right, arc length equals 121.71 feet, radius equals 2130.00 feet and long chord bearing equals S. 55° 00' 14" E., 121.69 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
2. S. 53° 22' 01" E., 122.71 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
3. N. 36° 37' 59" E., 15.00 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
4. S. 53° 22' 01" E., 25.35 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
5. N. 38° 00' 00" E., 15.35 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;

Exhibit "A"

Page 3 of 5



TURLEY ASSOCIATES, INC.

ENGINEERING • PLANNING • SURVEYING • DESIGN/BUILDING
301 NORTH 3RD STREET • TEMPLE, TEXAS 76501 • (254) 773-2400

6. S. 52° 00' 00" E., 15.00 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
7. N. 38° 00' 00" E., 147.59 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
8. S. 52° 00' 00" E., 60.00 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
9. N. 38° 00' 00" E., 23.12 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
10. N. 32° 17' 22" E., 50.25 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
11. N. 38° 00' 00" E., 32.27 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
12. S. 53° 00' 00" E., 129.35 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
13. S. 60° 45' 00" E., 214.05 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
14. S. 66° 00' 00" E., 126.13 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
15. N. 39° 00' 00" E., 105.28 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
16. S. 61° 30' 00" E., 95.17 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
17. N. 28° 30' 00" E., 50.00 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
18. S. 61° 30' 00" E., 10.50 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;
19. N. 28° 30' 00" E., 15.55 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete at the beginning of a curve to the left, for corner;
20. along said curve to the left, arc length equals 4.33 feet, radius equals 525.00 feet and long chord bearing equals N. 28° 15' 50" E., 4.33 feet to a ½" iron rod with cap marked "RPLS 2475" set in concrete, for corner;

Exhibit "A"

Page 4 of 5



TURLEY ASSOCIATES, INC.

ENGINEERING • PLANNING • SURVEYING • DESIGN/BUILDING
 301 NORTH 3RD STREET • TEMPLE, TEXAS 76501 • (254) 773-2400

21. S. 61° 58' 20" E., 174.00 feet to a 1/2" iron rod with cap marked "RPLS 2475" set in concrete in the east line of said Kiella Family, Ltd. tract and in the west line of said 9.04 acre James Nathan Ross tract, for corner;

THENCE S. 16° 30' 04" W., 174.73 feet along the east line of said Kiella Family, Ltd. tract and along the west line of said 9.04 acre James Nathan Ross tract to the Point of BEGINNING and containing 25.451 acres of land.

I, Victor D. Turley, a Registered Professional Land Surveyor in the State of Texas, do hereby certify that these field notes are a correct representation of a survey made on the ground.

Victor D. Turley

Victor D. Turley, R.P.L.S.#2475
July 8, 2003



Tract surveyed December 19, 2002

THIS PROJECT IS REFERENCED TO THE CITY OF TEMPLE COORDINATE SYSTEM, AN EXTENSION OF THE TEXAS COORDINATE SYSTEM OF 1983, CENTRAL ZONE. ALL DISTANCES ARE HORIZONTAL SURFACE DISTANCES UNLESS NOTED AND ALL BEARINGS ARE GRID BEARINGS.

ALL COORDINATE VALUES ARE REFERENCED TO CITY MONUMENT NUMBER 504
THE THETA ANGLE AT SAID CITY MONUMENT IS 01° 29' 25"
THE COMBINED CORRECTION FACTOR (CCF) IS 0.999858
PUBLISHED CITY COORDINATES ARE X = 3,202,019.50 Y = 10,378,798.21
THE TIE FROM THE ABOVE CITY MONUMENT TO THE POINT OF BEGINNING IS N. 86° 28' 05" E., 4553.93 FEET.

05 JUN 20 PM 9 29
VADA
A
COUNTY CLERK
BY *Mc*
DEPUTY

FILED FOR RECORD

002847

Exhibit "A"

Page 5 of 5



ENGINEERING • PLANNING • SURVEYING • DESIGN/BUILDING
301 NORTH 3RD STREET • TEMPLE, TEXAS 76501 • (254) 773-2400